


Yihu! Casting™ 艺辉



2012

2012·首饰铸造器材
JEWELRY CASTING EQUIPMEN & SUPPLIES

广州市艺辉铸造科技有限公司
Yihui Casting Technology Co.,Ltd .



石墨材料采用特种高纯、高强、高密度的石墨材料；优秀的技术人员；高精度的数控加工设备等，可以为客户提供性能优良的石墨熔炼坩埚、铸造坩埚、石墨油槽、拉管、拉片、拉棒的模具等石墨产品。

所选特种专用材料，可以让我们的石墨坩埚产品比普通材料产品耐用程度2倍以上，使用寿命更长，更加可以承受超过2000°C的高温！

同时更拥有以下特点：

1. 良好的热稳定性：针对石墨坩埚急热急冷的使用条件，特别配方。
2. 良好的耐腐蚀、耐冲击性能、以保证产品质量的可靠性。
3. 良好的耐强酸、强碱。
4. 良好的热传导性能：可以极大缩短熔炼时间，节约能源。
6. 小于300pp的灰分，确保贵金属在冶炼中不被污染

Apply high purity, high strength, high density graphite materials, equipped with excellent experts and high precision CNC equipment to supply clients with high quality graphite melting crucible, graphite casting crucible, graphite ingot mould, graphite mould for tube, slice, wire etc.

Selected special materials, durability of Yihui graphite products doubles common material made, long working life and anti more than 2000°C high temp.

Main features:

1. Good thermal stability, considering sudden heat and cold working condition, we apply special raw materials.
2. Anti strong acid, anti strong
3. Impact resistance: Graphite crucible can withstand strong heat impact, therefore you can use it fore any workmanship process.
4. Anti acid: Adding special material to improve crucible quality, good performance in acidification index resistant, all this prolong crucible service life.
5. Good thermal conductivity: Due to its high thermal conductivity, you can shorten melting time, saving energy.
6. Ash content is less than 300pp, melting metal can not be polluted during melting process.



石墨粘土坩埚
Clay-graphite crucibles

型号 Model	上口直径 Up diameter(mm)	下口直径 Down diameter(mm)	高度 Height(mm)
GN-R001	78	57	85
GN-R002	92	66	115
GN-R005	120	80	110
GN-R010	150	100	180
GN-R016	160	110	210
GN-R020	190	120	230
GN-R030	210	170	250
GN-R040	240	180	300
GN-R050	260	190	320
GN-R060	270	200	330
GN-R080	310	240	390
GN-R100	330	250	420
GN-R120	340	260	440
GN-R150	360	290	460
GN-R200	400	300	500
GN-R250	440	350	560
GN-R300	460	350	640
GN-R350	500	380	720
GN-R500	550	420	810
GN-R1000	700	550	800



石墨双环熔金坩埚
Graphite melting crucible with neck

型号 Model	尺寸 Size(mm)
GM-1000SH	Φ65 x Φ50 x H125
GM-2000SH	Φ72 x Φ55 x H155
GM-3000SH	Φ77 x Φ62 x H168



石墨双环熔金坩埚
Graphite melting crucible with neck

型号 Model	尺寸 Size(mm)
GM-KE1000	Φ57x Φ43 x H125.9
GM-KE3000	Φ102x Φ85 x H125



熔金坩埚套件
Induction crucible set

产品名称 Description	产品型 Model	产品尺寸 Size(mm)	产品重量 Weight (g)
1kg的石墨坩埚 1kg graphite crucible	GM-1000	Φ58 Φ47 H88	160
1kg石英外套 1kg ceramic shield	CC-1000A	Φ69 Φ57 H87	175
2kg的石墨坩埚 2kg graphite crucible	GM-2000	Φ65 Φ58 H110	240
2kg石英外套 2kg ceramic shield	CC-2000A	Φ81 Φ70 H110	270
2.5kg石墨坩埚 2.5kg graphite crucible	GM-2500A	Φ65 Φ58 H126	300
2.5kg石英外套 2.5kg ceramic shield	CC-2500A	Φ81.4 Φ71.4H127.5	320
3kg的石墨坩埚 3kg graphite crucible	GM-3000A	Φ85 Φ75 H105	390
3kg石英外套 3kg ceramic shield	CC-3000A	Φ82 Φ72 H110	335
4kg的石墨坩埚 4kg graphite crucible	GM-4000A	Φ85 Φ75 H130	500
4kg的石墨坩埚 4kg graphite crucible	GM-4000B	Φ85 Φ75 H136	500
4kg石英外套 4kg ceramic shield	CC-4000A	Φ98 Φ89 H130	370
5kg石墨坩埚 5kg graphite crucible	GM-5000B	Φ100 Φ89 H130	700
5kg石英外套 5kg ceramic shield	CC-5000A	Φ118 Φ100 H135	700
5.5kg的石墨坩埚 5.5kg graphite crucible	GM-5500A	Φ105 Φ90 H156	800
5.5kg石英外套 5.5kg ceramic shield	CC-5500A	Φ121 Φ107 H152	600
6kg的石墨坩埚 6kg graphite crucible	GM-6000A	Φ110 Φ97 H174	970
6kg的石墨坩埚 6kg graphite crucible	GM-4000B	Φ110 Φ103 H180	1650
6kg石英外套 6kg ceramic shield	CC-6000A	Φ125 Φ111 H175	725
8kg的石墨坩埚 8kg graphite crucible	GM-8000A	Φ115 Φ105 H176	1870
8kg的石墨坩埚 8kg graphite crucible	GM-8000B	Φ120 Φ110 H180	1900
8kg石英外套 8kg ceramic shield	CC-8000A	Φ140 Φ131 H179	920

石墨铸造坩埚及棒 Graphite casting crucible and stopper



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	产品重量 (g)	备注
GC-I001	石墨铸造坩埚	Φ80 x H125/HoleOD:4mm	510	For Italmimpianti
GC-I001S	石墨塞棒	Φ19 x H230/Hole OD: 8mm	30	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Weight (g)	Remark
GC-I001	Casting crucible	Φ80 x H125/HoleOD:4mm	510	For Italmimpianti
GC-I001S	Graphite stopper	Φ19 x H230/Hole OD: 8mm	30	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
GC-I002	石墨铸造坩埚	Φ80 x H93.2/HoleOD:8mm	For Italmimpianti
GC-I002S	石墨塞棒	Φ19 x H230/Hole OD: 8mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-I002	Casting crucible	Φ80 x H93.2/HoleOD:8mm	For Italmimpianti
GC-I002S	Graphite stopper	Φ19 x H230/Hole OD: 8mm	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
GC-K001	石墨铸造坩埚	Φ70 x H128/HoleOD:8mm	For Yasui K2E/KT17
GC-K001S	石墨塞棒	Φ23.5 x L149/Hole OD: 7mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-K001	Casting crucible	Φ70 x H128/HoleOD:8mm	For Yasui K2E/KT17
GC-K001S	Graphite stopper	Φ23.5 x L149/Hole OD: 7mm	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	产品重量 (g)	备注
GC-K002	石墨铸造坩埚	Φ65 x H73/Hole OD: 8mm	210	For Yasui K3
GC-K002S	石墨塞棒	Φ21 x L135		

Graphite casting crucible and stopper

Model	Description	Size (mm)	Weight (g)	Remark
GC-K002	Casting crucible	Φ65 x H73/Hole OD: 8mm	210	For Yasui K3
GC-K002S	Graphite stopper	Φ21 x L135		



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	产品重量 (g)	备注
GC-K003	石墨铸造坩埚	Φ70 x H89/Hole OD: 8mm	220	For Yasui K5
GC-K003S	石墨塞棒	Φ21 x L135	35	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Weight (g)	Remark
GC-K003	Casting crucible	Φ70 x H89/Hole OD: 8mm	220	For Yasui K5
GC-K003S	Graphite stopper	Φ21 x L135	35	

石墨铸造坩埚及棒 Graphite casting crucible and stopper

石墨铸造坩埚及棒



型号	产品名称	尺寸(mm)	备注
GC-K004	石墨铸造坩埚	Φ70 x H128/HoleOD:8mm	For Yasui KT18S
GC-K004S	石墨塞棒	Φ16 x H145.5/Hole OD: 7mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-K004	Casting crucible	Φ70 x H128/HoleOD:8mm	For Yasui KT18S
GC-K004S	Graphite stopper	Φ16 x H145.5/Hole OD: 7mm	

石墨铸造坩埚及棒



型号	产品名称	尺寸(mm)	备注
GC-K009	石墨铸造坩埚	Φ62xH87.5/Hole OD:7mm	For Yasui KT15S
GC-K009S	石墨塞棒	Φ13xL136/Hole OD:7mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-K009	Casting crucible	Φ62xH87.5/Hole OD:7mm	For Yasui KT15S
GC-K009S	Graphite stopper	Φ13xL136/Hole OD:7mm	

石墨铸造坩埚及棒



型号	产品名称	尺寸(mm)	备注
GC-V003	石墨铸造坩埚	Φ74 x H136/Hole OD: 7mm	For VPC-066
CC-V003S	石墨塞棒	Φ13.5 x L163/Hole OD: 5mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-V003	Casting crucible	Φ74 x H136/Hole OD: 7mm	For VPC-066
CC-V003S	Graphite stopper	Φ13.5 x L163/Hole OD: 5mm	

石墨铸造坩埚及棒



型号	产品名称	尺寸(mm)	产品重量 (g)	备注
GC-V004	石墨铸造坩埚	Φ78 x H120/Hole OD: 8mm	530	For Galloni/VCM
GC-V004S	石墨塞棒	Φ19 x L200	70	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Weight (g)	Remark
GC-V004	Casting crucible	Φ78 x H120/Hole OD: 8mm	530	For Galloni/VCM
GC-V004S	Graphite stopper	Φ19 x L200	70	

石墨铸造坩埚及棒



型号	产品名称	尺寸(mm)	备注
GC-V010	石墨铸造坩埚	Φ68 x H120/Hole OD: 8mm	For VC600
GC-V010S	石墨塞棒	Φ12 x L165/Hole OD: 4.5mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-V010	Casting crucible	Φ68 x H120/Hole OD: 8mm	For VC600
GC-V010S	Graphite stopper	Φ12 x L165/Hole OD: 4.5mm	

石墨铸造坩埚及棒 Graphite casting crucible and stopper



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
GC-V011	石墨铸造坩埚	Φ78×H120	For VC500
GC-V011S	石墨塞棒	Φ19.5×L175	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-V011	Casting crucible	Φ78×H120	For VC500
GC-V011S	Graphite stopper	Φ19.5×L175	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
GC-T001	石墨铸造坩埚	Φ64 x H130/Hole OD: 8mm	For Tanabe 田边
GC-T001S	石墨塞棒	Φ16 x L210	
GC-T002	石墨铸造坩埚	Φ63.5 x H100/Hole OD: 8mm	
GC-T002S	石墨塞棒	Φ14 x L150/Hole OD: 5.5mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-T001	Casting crucible	Φ64 x H130/Hole OD: 8mm	For Tanabe
GC-T001S	Graphite stopper	Φ16 x L210	
GC-T002	Casting crucible	Φ63.5 x H100/Hole OD: 8mm	
GC-T002S	Graphite stopper	Φ14 x L150/Hole OD: 5.5mm	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
GC-T003	石墨铸造坩埚	Φ77 x H120/Hole OD: 5.5mm	For Top Cast
GC-T003S	石墨塞棒	Φ11 x L160	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-T003	Casting crucible	Φ77 x H120/Hole OD: 5.5mm	For Top Cast
GC-T003S	Graphite stopper	Φ11 x L160	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
GC-G001	石墨铸造坩埚	Φ82.3 x H111.5/Hole OD: 7mm	铸造用 (金江)
GC-G001S	石墨塞棒	Φ15 x L140/Hole OD: 6.5mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-G001	Casting crucible	Φ82.3 x H111.5/Hole OD: 7mm	For china casting machine
GC-G001S	Graphite stopper	Φ15 x L140/Hole OD: 6.5mm	

石墨铸造坩埚及棒 Graphite casting crucible and stopper



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	产品重量 (g)	备注
GC-G002	石墨铸造坩埚	Φ76 x H122/Hole OD: 8mm	510	铸造用 (国产)
GC-G002S	石墨塞棒	Φ15 x L168 /Hole OD: 7mm	40	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Weight (g)	Remark
GC-G002	Casting crucible	Φ76 x H122/Hole OD: 8mm	510	For china casting machine
GC-G002S	Graphite stopper	Φ15 x L168 /Hole OD: 7mm	40	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
GCG-G001	石墨铸造坩埚	Φ82 x H96/Hole OD: 2mm*5	铸造用 (金江)
GCG-G001S	石墨塞棒	Φ15 x L140/Hole OD: 6.5mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GCG-G001	Casting crucible	Φ82 x H96/Hole OD: 2mm*5	For china casting machine
GCG-G001S	Graphite stopper	Φ15 x L140/Hole OD: 6.5mm	

石墨铸造坩埚及棒

型号	产品名称	尺寸(MM)	备注
GCG-J001	石墨撒珠坩埚	Φ75 x H110/Hole OD: 1.8mm*1	For Neutec
GCG-J001S	石墨塞棒	Φ8 x L180	
GCG-J002	石墨撒珠坩埚	Φ75 x H110	
GCG-J005	石墨撒珠坩埚	Φ100 x H124/Hole OD: 1.5mm*1	
GCG-J006	石墨撒珠坩埚	Φ100 x H124/Hole OD: 1.8mm*5	
GC-J001	石墨铸造坩埚	Φ75 x H122.5/Hole OD: 9.5mm	
GC-J001S	石墨塞棒	Φ15 x L222/Hole OD: 8mm	
GC-J002	石墨铸造坩埚	Φ90 x H110/Hole OD: 9.5mm	
GC-J002S	石墨塞棒	Φ15 x L250/Hole OD: 8mm	
GC-J007	石墨铸造坩埚	Φ75 x H110/Hole OD: 8mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GCG-J001	Graphite grain crucible	Φ75 x H110/Hole OD: 1.8mm*1	For Neutec
GCG-J001S	Graphite stopper	Φ8 x L180	
GCG-J002	Graphite grain crucible	Φ75 x H110	
GCG-J005	Graphite grain crucible	Φ100 x H124/Hole OD: 1.5mm*1	
GCG-J006	Graphite grain crucible	Φ100 x H124/Hole OD: 1.8mm*5	
GC-J001	Graphite casting crucible	Φ75 x H122.5/Hole OD: 9.5mm	
GC-J001S	Graphite stopper	Φ15 x L222/Hole OD: 8mm	
GC-J002	Graphite casting crucible	Φ90 x H110/Hole OD: 9.5mm	
GC-J002S	Graphite stopper	Φ15 x L250/Hole OD: 8mm	
GC-J007	Graphite casting crucible	Φ75 x H110/Hole OD: 8mm	



石墨铸造坩埚及棒 Graphite casting crucible and stopper



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	产品重量(g)	备注
GC-AVC	石墨铸造坩埚	Φ76 x H115/Hole OD: 8mm	470	用于 AVC
GC-AVCS	石墨塞棒	Φ15 x L152 /Hole OD: 7mm	35	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Weight (g)	Remark
GC-AVC	Casting crucible	Φ76 x H115/Hole OD: 8mm	470	For AVC
GC-AVCS	Graphite stopper	Φ15 x L152 /Hole OD: 7mm	35	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
GC-DVC	石墨铸造坩埚	Φ76×H115 OD:7mm	用于DVC
GC-DVCS	石墨塞棒	Φ14×L166 OD:7mm	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
GC-DVC	Casting crucible	Φ76×H115 OD:7mm	For DVC
GC-DVCS	Graphite stopper	Φ14×L166 OD:7mm	



石墨铸造坩埚及棒

型号	产品名称	尺寸(mm)	备注
G-40	石墨铸造坩埚	Φ40 x Φ32 x H96	For Galloni
C-40	石墨塞棒	Φ51 x Φ43 x H105	

Graphite casting crucible and stopper

Model	Description	Size (mm)	Remark
G-40	Casting crucible	Φ40 x Φ32 x H96	For Galloni
C-40	Graphite stopper	Φ51 x Φ43 x H105	



石墨塞棒(订制)

Graphite Stopper (Tailored)



石墨搅拌棒
Graphite Stirring Rod

产品名称 Description	尺寸 Size (mm)
石墨搅拌棒 Graphite Stirring Rod	Φ8*L300
石墨搅拌棒 Graphite Stirring Rod	Φ10*L350
石墨搅拌棒 Graphite Stirring Rod	Φ12*L350
石墨搅拌棒 Graphite Stirring Rod	Φ14*L350
石墨搅拌棒 Graphite Stirring Rod	Φ16*L350
石墨搅拌棒 Graphite Stirring Rod	订制 Tailored



石墨油槽(订制)
Graphite Ingot Mould (Tailored)



石墨模具(订制)
Graphite mould (can be customied)



石墨垫圈
Graphite Gasket

型号 Model	产品名称 Description	尺寸Size (mm)
GR-3.5B	3.5寸石墨垫圈 3.5" graphite gasket	Φ120 xΦ92 X H2.5
GR-3.5H	3.5寸石墨垫圈(厚) 3.5" graphite gasket(thick)	Φ120 xΦ92 X H5
GR-4B	4寸石墨垫圈 4" graphite gasket	Φ138 xΦ108X H2.5
GR-4H	4寸石墨垫圈(厚) 4" graphite gasket(thick)	Φ138 xΦ108X H5
GR-5B	5寸石墨圈(薄) 5" graphite gasket(thin)	Φ158 xΦ137X H2.5
订制 Tailored		

2012

专业、敬业、合作、共赢
profession, devotion, cooperation, double-win

YIHUI CASTING TECHNOLOGY CO.,LTD No 2 of second street , Fuxin Road, Fuyong Industry park, Shawan town, Panyu district, Guangzhou.

Tel: +86-20-34734999 Fax: +86-20-34735899

info@yihuicasting.com www.yihuicasting.com

专业的精密失蜡铸造器材提供商
Professional supplier in paraffin casting equipment